

# Truck range



worldwide network

24/7  
support



# Pallet trucks

**MDW**  
Compact pedestrian  
pallet truck

Lift capacity 1600/1800/2000 kg



**PLL**  
Compact pedestrian  
pallet truck

Lift capacity 1800/2000 kg



**PLE**  
Compact pedestrian  
pallet truck with forklift

Lift capacity 1800 kg  
Lift height 0.73 metres



**MDE**  
Compact pedestrian  
pallet truck with forklift

Lift capacity 2000 kg  
Lift height 0.735 metres



**PLP**  
Stand-on pallet truck

Lift capacity 2000/2500 kg



**PMR**  
Stand-on pallet truck

Lift capacity 2000 kg



**ERGO ALL/XLL**  
Stand-in and sit-on  
low lifters

Lift capacity 2000/3000 kg



# Stackers

**PSL**  
Compact pedestrian stacker

Lift capacity 1250 kg  
Lift height up to 2.1 metres

**PS**  
Compact pedestrian stacker

Lift capacity 1250 kg  
Lift height up to 4.2 metres

**PSH**

Lift capacity 1600/2000 kg  
Lift height up to 5.4 metres

**PSP**  
Pedestrian stacker

Lift capacity 1250/1600 kg  
Lift height up to 5.4 metres



**PSD**  
Compact pedestrian stacker  
for double-pallet handling

Lift capacity 1250/1600 kg  
on the straddles  
Lift height up to 2.1 metres



**PDP 200**  
Double stacker  
with platform

Lift capacity 2000 kg  
Lift height 2.1 metres



**ERGO A**  
Stand-in stacker

Lift capacity 1600/2000 kg  
Lift height up to 6.75 metres



**ERGO X**  
Sit-on stacker

Lift capacity 1600/2000 kg  
Lift heights up to 6.75 metres



**ERGO XML**  
Sit-on double stacker

Lift capacity 1600 kg  
Lift height 1.5 metres



**ERGO ATF/XTF**  
Telereach stacker  
stand-in and sit-on  
telescopic forks

Lift capacity 1000 kg  
Lift height up to 6.75 metres

Order  
pickers

**PP**  
Low-level order picker

**PPL**

Lift capacity 2000/2500 kg

**PPD**

Lift capacity 2000/2500 kg

**PPF**

Lift capacity 1200 kg  
Lift height 0.95 metres

**PPC**

Lift capacity 1200 kg  
Lift height 0.95 metres

**PPS**

Lift capacity 2000 kg  
Lift height 0.9 metres



**EP**  
Low to high-level order picker

**EPL 100** Medium-level order picker

Lift capacity 1000 kg  
Lift height up to 1.8 metres

**EPM** High-level order picker

Lift capacity 1000 kg  
Lift height up to 8.25 metres

**EPH** High-level order picker

Lift capacity 1250 kg  
Lift height up to 10.5 metres



## Reach trucks

### TERGO® ULS Narrow-chassis reach truck

Lift capacity 1200/1400 kg  
Lift height up to 7.25 metres



### TERGO® UND Narrow-chassis reach truck

Lift capacity 1400 kg  
Lift height up to 8.95 metres



### TERGO® UMS/UHD/UHX Reach truck

Lift capacity 1600/2000/2500 kg  
Lift height up to 12.1 metres



### TERGO® UMS-TF/UHD-TF/UHX-TF Reach truck with telescopic forks

Lift capacity 2000/2500 kg  
Lift height up to 12.1 metres

### TERGO® UFW Four-way reach truck

Lift capacity 2000/2500 kg  
Lift height up to 9.7 metres



## Very narrow aisle reach trucks



### TERGO® URS\* Swivel reach truck

Lift capacity 1250/1500 kg  
Lift height up to 10.35 metres

#### Also Man up VNA options

Lift capacity 1100-2000 kg  
Lift height up to 17.4 metres



\*IFOY AWARD warehouse truck of the year 2015



## Electric counterbalance fork-lift trucks

The TX3/TX4/QX2/MX electric counterbalance trucks are silent, easy to drive and efficient. They have top-class ergonomics with a fully adjustable driver compartment. An on-board truck computer offers PIN-code-access and service diagnostics. AC drive motor ensures high class performance and low running costs. The counterbalance truck range comes with a full range of mast systems and an efficient battery changeover system.

### TX3 3-wheel counterbalance truck

**Lift capacity** 1250/1500/1600/1800/  
2000 kg  
**Lift height** up to 7 metres



reddot award 2018  
winner

### TX4 4-wheel counterbalance truck

**Lift capacity** 1600/1800/2000 kg  
**Lift height** up to 7 metres



### QX2 4-wheel counterbalance truck

**Lift capacity** 2000/2500/3000 kg  
**Lift height** up to 7 metres



### MX 4-wheel counterbalance truck

**Lift capacity** 2500/3000/3500 kg  
**Lift height** up to 7 metres



## Diesel/LPG counterbalance fork-lift trucks

The D/G internal combustion (Diesel/LPG) counterbalance trucks with car-like driveability – featuring advanced safety and efficiency-enhancing technology. The meter panel provides OnBoard Diagnostics for troubleshooting.

### DX 4-wheel IC counterbalance truck

**Lift capacity**  
1500/1750/2000/2500/3000/3200 kg,  
Diesel/LPG  
**Lift height** up to 7 metres



### GX 4-wheel IC counterbalance truck

**Lift capacity**  
3500/4000/4500/5000 kg,  
Diesel/LPG  
**Lift height** up to 7 metres



### ZX 4-wheel IC counterbalance truck

**Lift capacity**  
6000/7000/8000/10 000 kg,  
Diesel  
**Lift height** up to 8 metres



Your truck is important.  
**Its operation is most important of all.**

## U C financing

- sale and lease back
- fleet rental
- short-term hire
- hourly rental
- hire and purchase
- core lease

## U C health & safety

- driver training
- risk assessment
- rack inspection

## U C equipment

- warehouse
- counterbalance
- special trucks
- battery change



## U C service

- preventative
- full service
- genuine spare parts

## U C fleet information

- vehicle & operator management
- one fleet

## U C tools

- Logistic Analyser

**UNICARRIERS 360°**

It's all about  
the price.  
**But what  
price?**

## Reduce your Total Cost of Operation with UniCarriers

We agree. Price is everything. Or to be more specific: your Total Cost of Operation (TCO). That's why we're so focused on cutting costs and improving your material handling. The truck and its performance play an important role, but this is even more about how we can support you in optimising your warehouse operations to give you the best value for your money. Which – in the long run – is what creates a winner.

### UNICARRIERS CORPORATION

UniCarriers Corporation reserves the right to make any changes without notice concerning colours, equipment or specifications detailed in this brochure, or to discontinue individual models. The colours of vehicles delivered may differ slightly from those in this brochure. The specifications vary for different countries depending on local market conditions. Please consult your local dealer to ensure that the vehicle delivered meets your expectations. All values are determined based on the standard condition and may vary, due to motor and system tolerances, condition of the truck and operational conditions. Some equipment shown on photos are optional.